

SYSTEM REQUIREMENTS FOR XPLAINTV WAITING ROOM INFORMATION SOFTWARE

Revised: 04/05/2018

(Valid for 60 Days from Last Revision)

BASE SPECIFICATION FOR VERSION 5 (PREVIOUS VERSIONS ARE NOT SUPPORTED)

This document is intended as a guide when integrating xPlainTV into your practice.

COMPONENT	MINIMUM REQUIREMENTS
CPU	Dual Core 2.0GHz +
RAM	512 MB
HDD	6 GB Hard Drive space (v2017)
Optical Drive	DVD
Printer	Colour printers for the patient leaflets are preferable. In order to print these leaflets the computer must have a word processor capable of reading .DOC files installed (Eg: Microsoft Word, Open Office, etc).
Graphics Adaptor	Capable of 1024 x 768 or higher resolution
Multiple Display Setup	A graphics adaptor that has multiple output ports (1 per display). As each display and graphics adaptor can have different inputs/outputs* you will need to ensure the output is the same as the input, or purchase cable adaptors. <u>NOTE</u> : Large displays may require more powerful graphics adaptors to be installed in your computer. * Common input/outputs are VGA, DVI, HDMI and Display Port
Audio	If you intend to use audio, you MUST use a HDMI cable otherwise you will need to plug in a separate audio cable from the PC into the display.
Operating System	Windows 10 [®] (32/64 Bit) Windows 8/8.1 [®] (32/64 Bit) Windows 7 [®] (32/64 Bit)

dental4windows⁵⁴





Centaur Software Development Company Pty. Ltd. Suite 502, 410 Elizabeth Street Surry Hills NSW 2010 Australia PO Box 2313 Strawberry Hills NSW 2012 Australia



 ABN
 18 057 620 390

 PHONE
 (61 2) 9213 5000

 FAX
 (61 2) 9213 5093

 EMAIL
 support@centaursoftware.com.au

 WEB
 www.centaursoftware.com.au