

SYSTEM REQUIREMENTS FOR MEDIASUITE

Revised: 04/04/2025

(Valid for 90 Days from Last Revision)

Base Specification for Versions 3 & 4 (previous versions are not supported)

This document is intended as a guide when integrating Mediasuite into your practice. If you intend to integrate other business applications into your practice, it is suggested that you obtain the requirements for the respective software from the vendor and consider their requirements as well. Larger practices may need the assistance of a network specialist. The below pages cover *Mediasuite* itself and not any imaging acquisition hardware which may have higher system requirements or other system configuration requirements. Please consult with your hardware supplier for these.

SERVER

COMPONENT	1-4 USERS	5-12 USERS	13+ USERS
CPU	Dual Core 2.0GHz +	Dual Core 2.6GHz +	Call Us
RAM	4 GB	4 - 8 GB	Call Us
HDD	500 GB SSD	1 TB SSD	Call Us
Network Card	1000 Onboard		Call Us
Graphics Adaptor	Capable of 1024 x 768 or higher resolution		
Operating System*	Windows 10 (32/64-Bit) Windows Server 2016/Server 2019 (64-Bit) Windows 7/8/8.1 (32/64-Bit) * Windows Server 2008/2012 (32/64-Bit) *		

* For more information supported on Operating Systems please refer to Section 4 below.

CLIENT

MINIMUM REQUIREMENTS
Dual Core 2.0GHz +
4 GB
80 GB 7200 RPM HDD
100 Onboard
Capable of 1024 x 768 or higher resolution
Windows 10 (32/64-Bit)
Windows 7/8/8.1 (32/64-Bit) *

The above recommendations assume that a single workstation takes up to 24-30 intra oral X-Ray images per day, and the whole practice takes up to 25 panoramic images per day.

Operating Systems and Device Drivers

Please note that each device has its own Hardware Driver which needs to be certified by the hardware manufacturer to work with each Operating System. Unless such certification is obtained your Device may not work.

64-Bit

Please be aware that not all dental acquisition devices currently have 64-Bit drivers. This means hardware devices that do not have 64-bit drivers cannot be used with 64-Bit Operating Systems. Please check carefully with each device's vendor/seller and your IT Technician prior to changing to a 64-Bit Operating System.

DirectX

Please note that all acquisition devices require DirectX 9.0C or higher.

BEST PRACTICES GUIDE FOR MEDIASUITE

Best Practices for Versions 3 & 4 (previous versions are not Supported)

1. PRACTICE REQUIREMENTS

ITEM	STRONGLY RECOMMENDED	MINIMUM REQUIREMENTS
Remote Access	NBN (FTTP > FTTC > HFC > FTTB/N) ADSL2+ Broadband Modem/Router	Dial-Up Modem (Please note that if a Dial-Up Modem is used SLA timings do not apply.)
Printer	Modern printer with support from manufacturer NOTE: Some printing problems can be resolved by installing the latest printer drivers. Ensure that your technician installs the latest drivers for your printer, now and in the future.	
Network	Gigabit Switch with 1 port per computer (additional ports may be needed for other Network Devices (ie. Network Printer, Internet Modem/Router and future expandability).	

2. HARDWARE & NETWORKING NOTES

2.1. Motherboard/CPU

- While *Mediasuite* should work on non-Intel processors, they are not tested or certified.
- Ensure that your computer is certified for your operating system (refer to Section 4 for details).
- We recommend the use of Desktop and Server grade CPU's. While Netbook/Mobile grade CPU's (ie: Intel's Atom CPU) will run *Mediasuite* you may notice slow performance using Netbook/Mobile grade CPU's.

2.2. Display Adaptor

- Mediasuite* requires a 1024*768 or higher resolution.
- Display Scaling above 125% is not recommended.

2.3. Hard Drive

- The hard drive is the most commonly overlooked specification but is a very important component of a computer (particularly the speed of the hard drive).
- Note that the specified free space is only for *Mediasuite*. If you intend to install other software you should contact the respective software vendor for their requirements.
- Large network users (6 user and above) should consider SAS hard drives on the Server for added performance.
- RAID technology is not necessary but may be desirable for added data redundancy and throughput. Note that the RAID solution should never be the only backup solution. RAID is not a replacement for a good backup solution that involves the rotated use of separate removable media. Please contact a Network Technician if you wish to utilise this service. In case of RAID failure, Centaur Software can only offer limited support.

2.4. RAM

- Dynamic allocation of RAM is not supported when using *Mediasuite*.

2.5. Backup Device

- Please see the "*Data Backup Best Practices for Mediasuite*" & "*Data Backup Requirements for Mediasuite*".
- Note that Centaur Software does not setup, configure or support the various types of backup methods. Please refer to your IT Technician.

2.6. UPS

- Uninterruptable Power Supplies are recommended for all Server computers. 400VA/240W or higher Delta Online UPS with Shutdown software are recommended.

2.7. Hardware Firewall

- Offices that are connected to the Internet via broadband access should have a hardware firewall to protect their computers from attack.
- Internet sharing software (or any other software) that causes interference with the TCP/IP protocol that affects *Mediasuite* will have limited support.

2.8. Anti-Virus/Firewall Software

- Anti-Virus software should be installed on all computers. If you are a network user, then you should look at an antivirus software solution that will “push” the virus updates out to all computers on the network via the computer that has the internet connection. Your IT Technician can recommend an appropriate system for your business.
- We recommend that the following executables are excluded from your Firewall Software:

Mediasuite (v4)

(a) DBSRV17.exe (b) DBENG17.exe (c) CMSuite.exe

(a) DBSRV16.exe (b) DBENG16.exe (c) CMSuite.exe

Mediasuite (v3)

(a) DBSRV12.exe (b) DBENG12.exe (c) CMSuite.exe

- We recommend that the following ports are excluded from your Firewall Software:

SAP/Sybase	UDP port 2638/49152
------------	---------------------

- Some device drivers require the specific exceptions to be added in the firewall/antivirus setup.
- It is strongly advised that to avoid potential performance problems, or even corruption, the following files be excluded from virus scans:

(a) Main Database File (.db)	(b) Transaction Log (.log)	(c) Transaction Log Mirror (.mlg)
------------------------------	----------------------------	-----------------------------------
- Other exceptions may be required for other non-Centaur software. Please contact the vendor for any such requirements.

2.9. Networking

- Centaur Software supports its products running over both wired and/or wireless networks. If there is an issue with your network affecting the use of our products you may be required to seek the services of an IT Technician to assist in resolving the issue.
- Centaur Software strongly recommends that wired networks are used rather than wireless networks due to the inherent issues that may affect a wireless network. Common issues that occur when wireless networks are used include application dropouts, poor performance issues, network interference, etc. If a customer decides to use a wireless network then it is recommended they talk to their IT Technician to setup a secure, stable and fast network. In order to troubleshoot issues with running our products over a wireless connection we may require the user to recreate the issue after making a physical (LAN) connection. If the issue cannot be created with a physical connection we cannot guarantee a fix.
- The performance of *Mediasuite* may vary based on any number of conditions outside of our control such as: Wireless Interference of other devices, other Wi-Fi broadcasts, building infrastructure, Wi-Fi Hardware, etc. For ways to improve the performance of your Wireless Network we recommend you obtain the services of an IT Technician.
- Network users should consider the use of a network printer (ie. a printer that is not physically connected to a pc).
- Customers with 6 Users and above should consider a dedicated database server.
- If you intend to use the database server as a workstation then the RAM specification should be increased.
- All practices should have CAT5E 100MB Twisted cabling or higher. A professional electrician should install and certify that the cabling meets the appropriate standards.

- Note: customers with Server Computers that contain multiple active Network Interface Cards (NIC), onboard or add-in cards, *Mediasuite* may generate a different Computer Identification Number (CIN) each time the Server is restarted. Centaur will provide you with each of these codes for you to record. When this occurs, you will need to manually enter in the appropriate Registration Code for that CIN the first time the *Mediasuite* interface is started. Alternatively, you can disable all but one NIC.

2.10. RDC - Terminal Services - Citrix - Virtualisation

- Terminal Services/Citrix Metaframe may be a consideration if you have a large network (i.e. 15 Users and above). Terminal server sites that have 6 or more remote connections should consider a dedicated terminal server (i.e.: a server dedicated to serving the terminal server sessions only). All terminal server sites that require remote connections should purchase business plans, not plans that are home-user orientated.



Centaur Software can only offer advice on how our applications will work on Terminal Service/Citrix Metaframe. We are unable to advise on installation/configuration of this complicated networking scenario.

- You will need an IT specialist in this area to advise, install, maintain and for support problems that are related to this area).
- Running *Mediasuite* directly over a WAN connection is not supported.
- If you want to run Windows under a Virtual Environment, please contact Centaur Support as some configurations are not supported. Sybase/SAP will support Sybase/SAP products running on VMware as long as the OS running in the virtual machine is certified by Sybase/SAP (<https://blogs.sap.com/2014/12/02/licensing-sap-sql-anywhere-in-virtual-environments/>).
- Terminal Server software such as ThinStuff, XP Unlimited, etc are not supported by Centaur. In addition, we strongly recommend customers contact Microsoft before purchasing any such program to ensure their intended use does not violate Microsoft's Windows Licensing.

2.11. Tablets/Netbooks

- The base specifications listed on Page 1 are enough to run *Mediasuite*.
 - Mobile grade CPU's are not supported or recommended.
- We strongly advise the use of a stylus if you plan on using screens smaller than 13".

3. MEDIASUITE CONFIGURATION

3.1. Internet Upgrades

- Mediasuite* upgrades are provided via our propriety Internet Upgrade (IU) system. This can be set to check automatically and once a new upgrade is found the system can either ignore the upgrade, download the new files only (for a later upgrade) or download and upgrade now. This requires that the Server computer has Internet Access.

3.2. Customised Setups

- Before attempting a customised setup of *Mediasuite*, please contact Centaur Support as certain setups are not supported.
- SAP/Sybase does not support accessing a database file via a standard network share (i.e. database on a different physical device than the Sybase engine).

4. OPERATING SYSTEMS & OTHER SOFTWARE

4.1. Operating Systems

- Centaur follows Microsoft's Lifecycle Policy to determine which Operating Systems to continue to develop for and test on. Once an Operating System is no longer covered by Microsoft's Mainstream Support, Centaur will no longer be able to guarantee a resolution where the Operating System is the root cause of the issue.
- The following Microsoft Operating Systems are supported:

Operating System	Mediasuite Version/Build Requirements	Microsoft Mainstream Support End Date
Windows 11 (32/64-Bit)	Version 4 Build 4.072 and above	
Windows 10 (32/64-Bit)	Version 4 Build 4.018 and above	14/10/2025
Windows Server 2022 (64-Bit)		14/10/2031
Windows Server 2019 (64-Bit)	Version 4 Build 4.011 and above	09/01/2029
Windows Server 2016 (64-Bit)	Version 3 Build 3.105 and above	12/01/2027

<https://support.microsoft.com/en-au/lifecycle/search>

- The latest Windows updates must be installed on all supported Operating Systems now and in the future.

4.1.1. Older Operating Systems

- Customers running these older and discontinued Operating Systems will still receive *Mediasuite* Support, however we are unable to guarantee a resolution where the operating System is the root cause of the issue.

This includes:

- Windows XP/Vista/7/8/8.1
- Windows Server 2003/2008/SBS 2011/2012 (R1, R2, Essentials and Foundation editions)

4.1.2. Other Operating Systems

- Examples: Non-Microsoft Operating Systems or Emulated versions of supported Microsoft Operating Systems (e.g. Running Windows 10 within Parallels Desktop under Mac OS X).
- Centaur will continue to provide Support to our customers however we are unable to guarantee a resolution where *Mediasuite* is running on any Operating System other than those listed in 4.1 and where that Operating System/Environment is the root cause of the issue.

4.1.3. 64-Bit Server

- *Mediasuite* has the option for the Server component to run as 64-bit. This requires the Server computer to be 64-bit compliant with a 64-bit CPU and 64-bit Operating System. If you wish to have *Mediasuite* configured to run as 64-bit during your initial setup, please discuss this with your Centaur ICS Coordinator. To change your existing setup to 64-bit please contact the Centaur Support dept during standard Support Hours (Mon-Fri 8am-8:30pm).

4.1.4. Operating System settings

- The following configurations are needed:
 - Date Format = dd/mm/yyyy [all computers]
 - Fast Start-up = disabled [*Mediasuite* Server]
 - Sleep Mode = disabled [*Mediasuite* Server]
- Changes to the *Mediasuite* Server computers System Clock (date and time) should only be made when *Mediasuite* is shut down. Any changes to the System Clock while *Mediasuite* is running may result in system instability or even data corruption.
- Centaur strongly recommends rebooting all your computers at least weekly if not more often.

4.2. Microsoft Office

- The "Click-To-Run" versions of Office are not supported. There are no plans to support this version.
- 64-bit versions of Office are not supported at this time with *Mediasuite*.

4.2.1. Microsoft Outlook

- The *Mediasuite* email feature is compatible with Outlook 2013/2016/2019 32-bit.

4.2.2. Older Versions of Microsoft Office

- Centaur will continue to provide Support to our customers however we are unable to guarantee a resolution where an older version of Microsoft Office is installed, and that version of Microsoft Office is the root cause of the issue.

4.3. Other Software

- Mediasuite* may conflict with other software which also uses the Sybase 12 or Sybase 16 application such as Symantec Norton End Point Security during the install and upgrade of *Mediasuite*. If this does occur Centaur Support may need to work with your IT Technician to uninstall the conflicting software and reinstall when complete.

5. COMPUTER SYSTEMS

5.1. Computer Systems

- When purchasing computer systems, the variance in pricing and components can be overwhelming. Be assured that you do get what you pay for. Some lower priced systems may be lacking in the following areas:

Proprietary	Only the manufacturer or specified service centre can make repairs or expand the system. This can be more expensive in the longer term.
Expandability	Some systems don't have adequate expansion slots/and or other connection ports for any extra components you may require in the future.
All-in-One	Some "all-in-one" motherboards will not allow you to disable the onboard components. With these motherboards if one onboard component fails you may need to replace the entire motherboard to fix the problem.

Practices should be aware that good computer consultants tend to offer high-end systems. They work on the principle that reliable systems will produce fewer problems, promoting repeat business.

5.2. Computer System Training

- Practices should consider some sort of training in the Windows Operating System and the management of related peripherals (e.g. Printers).
- Over time your original investment should pay off in the fact that having staff that can solve minor problems will help avoid having to pay on-site technicians. Trained computer users also solve issues faster so it will ensure that your staff will have more time to spend on tasks that are relevant to the practice generating income.

5.3. Hardware & Windows Support

- All practices at some stage will need the services of an on-site computer technician. Larger users should consider the following services that some computer consultants can provide:
 - Maintenance Programs – ensure that your computing environment is maintained before problems arise.
 - Block Support – some companies offer the choice of purchasing "block hours" of support (normally cheaper than ad-hoc on-site rates).

5.4. Equipment Replacement

- All practices should be aware of the "reliable business life" of computer systems. Due to the following factors you can expect between 2.5 – 3 years reliable use of a computer system:
 - (a) Component failure
 - (b) Inability to meet future software & Operating System requirements
- Network users should consider a structured equipment replacement plan so that costs of computing equipment can be absorbed into the business effectively and maximum tax advantages are achieved.

5.5. Warranties

- All practices should understand the implications of any warranties offered and judge them on how they impact the business:

Response Times	Are the response times adequate for your business?
Support Types	Is the warranty on-site or phone support?
System Restoration	<ul style="list-style-type: none"> - Is the warranty only for the replacement of the hardware component? - Will the Windows Operating System be reinstalled if the replaced component requires it? - Will your system be reinstalled to its current state (i.e. all business software reinstalled, networked, printers reinstalled, and other configuration restored)?
Loaner Systems	Are "loaner systems" on offer if the problem is critical?

Considering the above services, you can clearly see that **some** lower-end system providers will not be able to provide these types of guarantees.

For more information, email support@centaursoftware.com.au or call (61 2) 9213 5000 | 1300 855 312 (within Australia).

© Centaur Software, Inc. All rights reserved. Centaur Software makes no representations or warranties with respect to the contents or use of this documentation, and specifically disclaims any express or implied warranties of title, merchantability, or fitness or any particular use. All contents are subject to change. Windows systems are registered trademarks of Microsoft Corp. Other products are trademarks or registered trademarks of their respective owners.